according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date : 12-11-2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Truck Cleaner Extra (R858)

1.2 Relevant identified uses of the substance or mixture and uses advised against Uses advised against

This product should not be used for purposes other than the applications referred to above.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Americol BV

Street: Sluispolderweg 33

Postal code/city: 1505 HJ Zaandam **Telephone:** +31 (0)75-6313244

Telefax: +31 (0)75-6313265

Information contact: Rene Doornink

Website: www.americol.nl

E-mail (competent person): r.doornink@americol.nl

1.4 Emergency telephone number

+31 (0)75-6313244 (08:00 - 16:30 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1; H318 - Serious eye damage/eye irritation: Category 1; Causes serious eye damage. Skin Corr. 1A; H314 - Skin corrosion/irritation: Category 1A; Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Corrosion (GHS05)

Signal word

Danger

Hazard components for labelling

SODIUM HYDROXIDE; CAS No.: 1310-73-2 C8-C16 ALKYLPOLYGLUCOSIDE; CAS No.: 68515-73-1

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Page: 1/8

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date: 12-11-2014

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER/doctor/...
P321 Specific treatment (see ... on this label).

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P405 Store locked up.

2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Hazardous ingredients

SODIUM HYDROXIDE; EC No.: 215-185-5; CAS No.: 1310-73-2

Weight fraction : 5 - 10 % Classification 67/548/EEC : C; R35

Classification 1272/2008 [CLP]: Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

SODIUMSILICATE ; EC No. : 215-687-4; CAS No. : 1344-09-8

Weight fraction : 1 - 2,5 % Classification 67/548/EEC : Xi ; R36 Xi ; R38

Classification 1272/2008 [CLP]: Skin Irrit. 2; H315 Eye Irrit. 2; H319

Additional information

Full text of R-, H- and EUH-phrases: see section 16.

3.3 Components according to regulation (EG) Nr. 648/2004

non-ionic surfactants $\begin{array}{cccc} 5-<15 & \% \\ \text{amphoteric surfactants} & <5 & \% \\ \text{phosphonates} & <5 & \% \\ \end{array}$

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

In case of inhalation

No special measures are necessary.

In case of skin contact

Page: 2/8

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date : 12-11-2014

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantitiy of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

None

5.2 Special hazards arising from the substance or mixture

None

5.3 Advice for firefighters

None

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Emergency procedures

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

Page: 3 / 8

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date: 12-11-2014



7.1 Precautions for safe handling

Protective measures

Measures to prevent aerosol and dust generation

During filling, metering and sampling should be used if possible: Closed devices

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

Hints on joint storage

Storage class: 8B

Storage class (TRGS 510): 8B

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Personal protection equipment





Eye/face protection

Eye glasses with side protection

Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN-/EN-Norms DIN EN 374 DIN EN 420 Suitable material NBR (Nitrile rubber) PVA (Polyvinyl alcohol) PVC (Polyvinyl chloride)

General health and safety measures

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour: orange **Odour:** characteristic

Page: 4/8

(en / d)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date: 12-11-2014

Safety relevant basis data

Physical state: liquid Melting point/melting range: No data available Boiling temperature/boiling range (1013 hPa) 100 °C **Decomposition temperature:** 200 °C Freezing point: No data available Flash point: not applicable Auto-ignition temperature : 250 °C not applicable Lower explosion limit: Upper explosion limit: not applicable **Vapour Pressure:** (20°C) No data available Evaporation rate (n-butylacetate = No data available 1): (20 °C) Density: ca. 1,14 g/cm³ Water solubility: (20°C) 100 Wt % PH value: 14 Partition coefficient (n-3 octanol/water): Viscosity: (20°C) 10 mPa.s Vapour density (air = 1): No data available (101 kPa)

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

not applicable

10.2 Chemical stability

Stable under normal conditions of use

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Strong oxidizers

10.6 Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Irritant and corrosive effects

Primary irritation to the skin

Corrosive.

Irritation to eyes

Corrosive.

Irritation to respiratory tract

No data available

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date : 12-11-2014

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Germ cell mutagenicity/Genotoxicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Specific target organ toxicity (single exposure)

not applicable

Specific target organ toxicity (repeated exposure)

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

SECTION 12: Ecological information

12.1 Toxicity

Harmless to aquatic organisms up to the tested concentration

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

None

12.7 Further ecological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

UN 1824

14.2 UN proper shipping name

Land transport (ADR/RID)

SODIUM HYDROXIDE SOLUTION

Sea transport (IMDG)

SODIUM HYDROXIDE SOLUTION

Air transport (ICAO-TI / IATA-DGR)

SODIUM HYDROXIDE SOLUTION

Page: 6 / 8

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date : 12-11-2014

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es): 8
Classification code: C5
Hazard identification number (Kemler
No.): 80
Tunnel restriction code: E
Special provisions: LQ22 · E 2

Sea transport (IMDG)

Hazard label(s):

Class(es): 8

EmS-No.: F-A / S-B

Special provisions : LQ 1 | · E 2 · Segregation Group 18 - Alkalis

8

Hazard label(s): 8
Air transport (ICAO-TI / IATA-DGR)

Class(es): 8
Special provisions: E 2
Hazard label(s): 8

14.4 Packing group

II

14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

16.1 Indication of changes

02. Classification of the substance or mixture \cdot 02. Label elements \cdot 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] \cdot 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] \cdot Hazard components for labelling (67/548/EEC or 1999/45/EC) \cdot 02. Labelling (67/548/EEC or 1999/45/EC) \cdot Hazard components for labelling \cdot 03. Hazardous ingredients \cdot 14. Transport hazard class(es) \cdot Land transport (ADR/RID) \cdot 14. Transport hazard class(es) \cdot Sea transport (IMDG) \cdot 14. Transport hazard class(es) \cdot Air transport (ICAO-TI / IATA-DGR) \cdot 15. Technische Anleitung Luft (TA-Luft) \cdot 15. Water hazard class (WGK)

Page: 7 / 8

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Truck Cleaner Extra

Revision date: 13-08-2014 **Version (Revision):** 2.0.1 (2.0.0)

Print date : 12-11-2014

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

16.5 Relevant R-, H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

35 Causes severe burns. 36 Irritating to eyes. 38 Irritating to skin.

41 Risk of serious damage to eyes.

16.6 Training advice

None

16.7 Additional information

Article No.: 858

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 8 / 8