



Safety Data Sheet

EMERALD

Safety Data Sheet dated 1/12/2015, version 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification
Trade name: EMERALD
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Detergent for hard surfaces.
Uses advised against:
Do not use in combination with other products.
- 1.3. Details of the supplier of the safety data sheet
Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio
15060 Borghetto Borbera (AL) Italia
Tel. +39 0143 631.1
- Competent person responsible for the safety data sheet:
regulatory.affairs@sutter.it
- 1.4. Emergency telephone number
+39 0143 631.1

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Adverse physicochemical, human health and environmental effects:
No other hazards
- 2.2. Label elements
Hazard pictograms:
None
Hazard statements:
None
Precautionary statements:
None
Special Provisions:
EUH210 Only for professional use. Safety data sheet available on request.
- Product contents:
soap, anionic surfactants, non-ionic surfactants < 5 %
The product also contains: Perfumes
Allergens:
Preservatives: METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE
Special provisions according to Annex XVII of REACH and subsequent amendments:
None
- 2.3. Other hazards
vPvB Substances: None - PBT Substances: None
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
N.A.
- 3.2. Mixtures

55375CLP/3

Page n. 1 of 8

Safety Data Sheet

EMERALD

Hazardous components within the meaning of the CLP regulation and related classification:

- >= 1% - < 3% ALKYL ETHER SULFATE C12-14, SODIUM SALT
REACH No.: 01-2119488639-16, CAS: 68891-38-3, EC: 500-234-8
⚠ 3.2/2 Skin Irrit. 2 H315
4.1/C3 Aquatic Chronic 3 H412
⚠ 3.3/1 Eye Dam. 1 H318
- >= 1% - < 3% ALKYL POLYGLYCOL ETHER C10-16
CAS: 69227-22-1
⚠ 3.1/4/Oral Acute Tox. 4 H302
⚠ 3.3/1 Eye Dam. 1 H318
- >= 1% - < 3% SODIUM CARBONATE
REACH No.: 01-2119485498-19, Index number: 011-005-00-2, CAS: 497-19-8, EC: 207-838-8
⚠ 3.3/2 Eye Irrit. 2 H319
- >= 1% - < 3% ALKYL POLYGLUCOSIDE
REACH No.: 01-2119488530-36, CAS: 68515-73-1, EC: 500-220-1
⚠ 3.3/1 Eye Dam. 1 H318
- >= 1% - < 3% POTASSIUM COCOATE
CAS: 61789-30-8, EC: 263-049-9
⚠ 3.3/2 Eye Irrit. 2 H319
⚠ 3.2/2 Skin Irrit. 2 H315

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into

drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove all sources of ignition.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Do not eat or drink while working.
 - See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Store away from sunlight.
 - Store in a cool and well ventilated place.
 - Keep away from food, drink and feed.
 - Incompatible materials:
 - None in particular.
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s)
 - None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - SODIUM CARBONATE - CAS: 497-19-8
 - ACGIH - LTE: 10 mg/m³
 - DNEL Exposure Limit Values
 - ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3
 - Worker Industry: 2750 mg/kg - Consumer: 1650 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
 - Worker Industry: 175 mg/m³ - Consumer: 52 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
 - Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
 - SODIUM CARBONATE - CAS: 497-19-8
 - Worker Industry: 10 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects
 - Consumer: 10 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects
 - ALKYL POLYGLUCOSIDE - CAS: 68515-73-1
 - Worker Industry: 595000 mg/kg - Consumer: 357000 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
 - Worker Industry: 420 mg/m³ - Consumer: 124 mg/m³ - Exposure: Human Inhalation -

Safety Data Sheet

EMERALD



Frequency: Long Term, systemic effects

Consumer: 35.7 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Target: Marine water - Value: 0.024 mg/l

Target: Microorganisms in sewage treatments - Value: 10000 mg/l

Target: Marine water sediments - Value: 0.09168 mg/kg

Target: Soil (agricultural) - Value: 7.5 mg/kg

Target: Fresh Water - Value: 0.24 mg/l

Target: Freshwater sediments - Value: 0.9168 mg/kg

ALKYL POLYGLUCOSIDE - CAS: 68515-73-1

Target: Marine water - Value: 0.0176 mg/l

Target: Microorganisms in sewage treatments - Value: 560 mg/l

Target: Marine water sediments - Value: 0.152 mg/kg

Target: Soil (agricultural) - Value: 0.654 mg/kg

Target: Fresh Water - Value: 0.176 mg/l

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, green	--	--
Odour:	Apple vinegar	--	--
Odour threshold:	Evident	--	--
pH:	< 11,4	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	> 100 °C	--	--
Flash point:	> 65 ° C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--

Safety Data Sheet

EMERALD

Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	1,027 g/ml	--	--
Solubility in water:	Total	--	--
Solubility in oil:	Partial	--	--
Partition coefficient (n-octanol/water):	< 1000	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	< 10 cP	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	Not Relevant	--	--

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects

55375CLP/3

Page n. 5 of 8

Safety Data Sheet

EMERALD

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

ALKYL POLYGLYCOL ETHER C10-16 - CAS: 69227-22-1

a) acute toxicity:

Test: LD50 - Route: Oral = 1800 mg/kg

SODIUM CARBONATE - CAS: 497-19-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2800 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 2.3 mg/l - Duration: 2h

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

ALKYL POLYGLYCOL ETHER C10-16 - CAS: 69227-22-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Notes: Brachydanio rerio

SODIUM CARBONATE - CAS: 497-19-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: EC50 - Species: Daphnia = 200 mg/l - Duration h: 48 - Notes: Ceriodaphnia dubia

12.2. Persistence and degradability

None

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

Safety Data Sheet

EMERALD

- 14.1. UN number
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
N.A.
- 14.3. Transport hazard class(es)
N.A.
- 14.4. Packing group
N.A.
- 14.5. Environmental hazards
ADR-Environmental Pollutant: No
IMDG-Marine pollutant: No
- 14.6. Special precautions for user
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
None
Where applicable, refer to the following regulatory provisions :
Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)
- Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
None
- 15.2. Chemical safety assessment
No

SECTION 16: Other information

- Full text of phrases referred to in Section 3:
H315 Causes skin irritation.
H412 Harmful to aquatic life with long lasting effects.
H318 Causes serious eye damage.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
Paragraphs modified from the previous revision:

SECTION 2: Hazards identification
SECTION 3: Composition/information on ingredients

Safety Data Sheet

EMERALD

SECTION 6: Accidental release measures
SECTION 8: Exposure controls/personal protection
SECTION 9: Physical and chemical properties
SECTION 11: Toxicological information
SECTION 14: Transport information
SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.