

Safety Data Sheet dated 11/2/2014, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification
Trade name: XTRA-DEGREASER
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Detergent for hard surfaces.
Uses advised against:
Do not use in combination with other products.
- 1.3. Details of the supplier of the safety data sheet

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio
15060 Borghetto Borbera (AL) Italia
Tel. +39 0143 631.1
- Competent person responsible for the safety data sheet:
regulatory.affairs@sutter.it
- 1.4. Emergency telephone number
+39 0143 631.1

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:
Properties / Symbols:
This product is not a hazardous article and need not be labelled according to EC Directive 67/548, 99/45 as amended.
- EC regulation criteria 1272/2008 (CLP)
 Warning, Skin Irrit. 2, Causes skin irritation.
 Warning, Eye Irrit. 2, Causes serious eye irritation.
- Adverse physicochemical, human health and environmental effects:
No other hazards
- 2.2. Label elements
Symbols:

- Warning
Hazard statements:
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- Precautionary statements:
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash hands thoroughly after handling.
P280 Wear eye protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Safety Data Sheet

XTRA-DEGREASER



P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special Provisions:

None

Product contents:

soap, amphoteric surfactants

< 5 %

The product also contains: Perfumes

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

>= 1% - < 3% 2-AMINOETHANOL; ETHANOLAMINE

REACH No.: 01-2119486455-28, Index number: 603-030-00-8, CAS: 141-43-5, EC: 205-483-3

Xn,Xi,C; R37-20/21/22-34

 3.2/1B Skin Corr. 1B H314

4.1/C3 Aquatic Chronic 3 H412

 3.8/3 STOT SE 3 H335

 3.1/4/Oral Acute Tox. 4 H302

 3.1/4/Dermal Acute Tox. 4 H312

 3.1/4/Inhal Acute Tox. 4 H332

>= 0.5% - < 1% C12-14 ALKYLDIMETHYLAMINES, N-OXIDES

REACH No.: 01-2119490061-47, CAS: 308062-28-4, EC: 931-292-6

Xn,Xi,N; R22-38-41-50

 3.1/4/Oral Acute Tox. 4 H302

 3.3/1 Eye Dam. 1 H318

 3.2/2 Skin Irrit. 2 H315

 4.1/A1 Aquatic Acute 1 H400

 4.1/C2 Aquatic Chronic 2 H411

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

Safety Data Sheet

XTRA-DEGREASER

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
Store away from sunlight.
Store in a cool and well ventilated place.
Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)
None in particular

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
2-AMINOETHANOL; ETHANOLAMINE - CAS: 141-43-5
EU - LTE(8h): 2.5 mg/m³, 1 ppm - STE(15min): 7.6 mg/m³, 3 ppm - Notes: OEL (IT) - Skin
ACGIH, 3 ppm, 6 ppm - Notes: TLV
- DNEL Exposure Limit Values
2-AMINOETHANOL; ETHANOLAMINE - CAS: 141-43-5
Worker Industry: 1 mg/kg - Consumer: 0.24 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Worker Industry: 3.3 mg/m³ - Consumer: 2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term (repeated)
Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
- C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4
Worker Industry: 11 mg/kg - Consumer: 5.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
Worker Industry: 15.5 mg/m³ - Consumer: 3.8 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
Consumer: 0.44 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects
- PNEC Exposure Limit Values
C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4
Target: Marine water - Value: 0.00335 mg/l
Target: Marine water sediments - Value: 0.524 mg/kg
Target: Soil (agricultural) - Value: 1.02 mg/kg
Target: Microorganisms in sewage treatments - Value: 24 mg/kg
- 8.2. Exposure controls
Eye protection:
Not needed for normal use. Anyway, operate according good working practices.
- Protection for skin:
No special precaution must be adopted for normal use.
- Protection for hands:
Not needed for normal use.
- Respiratory protection:
Not needed for normal use.
- Thermal Hazards:
None

Safety Data Sheet

XTRA-DEGREASER

Environmental exposure controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour:	Clear liquid, colorless/yellow
Odour:	Citrus
Odour threshold:	Evident
pH:	< 11,4
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	>= 100 °C
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	> 65 ° C
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	1,000 g/ml
Solubility in water:	Total
Solubility in oil:	Partial
Partition coefficient (n-octanol/water):	< 1000
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	< 10 cP
Explosive properties:	N.A.
Oxidizing properties:	N.A.

9.2. Other information

Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	Not Relevant

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1064 mg/kg

Safety Data Sheet

XTRA-DEGREASER

2-AMINOETHANOL; ETHANOLAMINE - CAS: 141-43-5

LD50 (RAT) ORAL: 2100 MG/KG

LD50 (RABBIT) SKIN: 1000 MG/KG

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 2.67 mg/l

Endpoint: EC50 - Species: Daphnia = 3.1 mg/l

Endpoint: EC50 - Species: Algae = 0.143 mg/l

12.2. Persistence and degradability

None

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

Marine pollutant: No

Safety Data Sheet

XTRA-DEGREASER



- N.A.
- 14.6. Special precautions for user
N.A.
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)
Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Dir. 2006/8/EC
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP)
Regulation (EU) n. 453/2010 (Annex I)
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
None
Where applicable, refer to the following regulatory provisions :
Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)
- 15.2. Chemical safety assessment
No

SECTION 16: Other information

- Full text of phrases referred to in Section 3:
- R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
R22 Harmful if swallowed.
R34 Causes burns.
R35 Causes severe burns.
R37 Irritating to respiratory system.
R38 Irritating to skin.
R41 Risk of serious damage to eyes.
R50 Very toxic to aquatic organisms.
- H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.
H335 May cause respiratory irritation.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.
H318 Causes serious eye damage.
H315 Causes skin irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
- This document was prepared by a competent person who has received appropriate training.

Safety Data Sheet

XTRA-DEGREASER



Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold
CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.